

# Flexco® Bolt Solid Plate Installation Tools and Supplies

The only tools needed for Bolt Solid Plate fastener installation are a templet and portable hand tools or power tools such as wrenches and belt punches. Impact wrench driven power tools are recommended, and can reduce installation time by at least 50%.



Hand Tools



Power Tools

## Hand Installation Tools

Description	For Fastener Number	Ordering Number
Bolt Horn		2BH
Punch	1, 140, 190 & RP1	P1P
	1-1/2, 2, 2-1/4 & RP2	P2P
	2-1/2 & 3	P3P
Boring Bit	1, 140, 190 & RP1	B1B
	1-1/2, 2, 2-1/4 & RP2	B2B
	2-1/2 & 3	B3B
Wrench	1, 140, 190 & RP1	S1S
	1-1/2, 2, 2-1/4 & RP2	S2S
	2-1/2 & 3	S3S

## Power Installation Tools

Description	For Fastener Number	Ordering Number
Power Punch	1, 140, 190 & RP1	HP1
	1-1/2, 2, 2-1/4 & RP2	HP2
	2-1/2 & 3	HP3
Power Boring Bit	1, 140, 190 & RP1	HB1
	1-1/2, 2, 2-1/4 & RP2	HB2
	2-1/2 & 3	HB3
Power Wrench	1, 140, 190 & RP1	HW1
	1-1/2, 2, 2-1/4 & RP2	HW2
	2-1/2 & 3	HW3
Quick Change Chuck		5552

## Bolt Breaker

Description	For Fastener Number	Ordering Number
Bolt Breaker (Two Per Package)	1, 140, 190 & RP1	110
	1-1/2, 2, 2-1/4 & RP2	112
	2-1/2 & 3	113



Bolt Breaker

## Flexco-Lok® Tape

Rigid nylon tape helps eliminate belt ripples on plied or solid-woven belting, so belts run smoothly over pulleys and under cleaners. Also helps seal splices against seepage of fines and moisture.

**Flexco-Lok®**  
Belt Tape (100' per Carton)

Fastener Size	Ordering Number
1 & 140	FL7C
190, 1-1/2	FL11C
2 & 2-1/4	



## Flexco® Cracking Chisel

With a hammer and cracking chisel, individual worn plates can be easily replaced – without resorting to replacement of the entire splice.

### Cracking Chisel

Nut Size	Ordering Number
1, 140 & 190	C1C
1-1/2, 2 & 2-1/4	C2C

